

ES610

Light and easy to carry
Say goodbye to the heavy!

ES610 can be used on older Volvo vehicles, which do not contain any OBD2 system. which use the VOLVO-specific OBD1 system. it also can work on engine system since 1996 and later OBDII compliant US, European and Asian Vehicles.

The ES610 Volvo Features

The ES610 is able to quick access to Volvo all control systems problems . including engine, transmission, ABS, SRS, air conditioning, additional heater, etc. it can also Reset the service indicator.

The C30 2006-2008、 The S40, 2004-2008、 V40 (2004-2008)

V50 (2004-2008)、 S60 2001-2008、 C70 2005-2008

V70 2001-2008

Exception: the Works of the mk2 models since the year 2000,

S80 2001-2006

Exception: also works on gas models, 1999-2000

Exception: also works with the D5252T MSA 15.8 system

1999-2000

XC70 2001-2008 XC90 2003-2008

Exception: The ES610 include OBDII /EOBD test function ,so

it also works with the engine system of VOLVO 2008-2014.

- Works on all after 1996 OBD II compliant US, European and Asian vehicles.
- Easily determines the cause of the "Check Engine Light (MIL)".
- Reads hard(memory)/pending(intermittent) and historic codes and show definitions.
- Turns off Check Engine Light (MIL), clears codes and resets monitors
- Reads live data-stream.
- Views freeze frame data.
- I/M monitor readiness test.
- Displays live O2 sensor test data.
- Retrieves vehicle information (VIN, CIN and CVN).
- Supports ALL OBD II protocols: CAN, J1850 PWM, J1850 VPW, ISO9141 and KWP2000.

Other Features & Benefits

- 1、 dimensions: 125mm x 70mm x 22mm (5 inch x 2.8 inch x 0.9 inch)
- 2、 Smart 8 Line Display 128 x 64 easy-to-read backlit LCD display with adjustable contrast
- 3、 Easy to use four-button operation (UP,DOWN,ENTER,EXIT)
- 4、 CE, FCC, RoHS certification
- 5、 One year warranty

Specifications

- Display: Backlit, 128 × 64 pixel display with contrast adjustment.
- Operating Temperature: 0 to 80°C (32 to 176 F°).
- Storage Temperature: -20 to 70°C (-4 to 158 F°).
- External Power: 8.0 to 18.0 V power provided via vehicle battery.
- Dimensions:

Length	Width	Height
125 mm (5.00")	70 mm (2.80")	22 mm (0.90")

- NW: 0.23kg (0.51lb), GW: 0.32kg (0.74lb)

Item/Picture

E-SCAN ES610 Brand

100-200 pcs

200-500 pcs

500-1000

pcsUnbranded

OEM

Specification

MAIN FEATURES & FUNCTIONS

Work on Volvo Coverage

The C30 2006-2008、 The S40, 2004-2008、 V40 (2004-2008)

V50 (2004-2008)、 S60 2001-2008、 C70 2005-2008

V70 2001-2008

Exception: the Works of the mk2 models since the year 2000,

S80 2001-2006

Exception: also works on gas models, 1999-2000

Exception: also works with the D5252T MSA 15.8 system

1999-2000

XC70 2001-2008

XC90 2003-2008

Exception: The ES610 include OBDII /EOBD test function ,so

it also works with the engine system of VOLVO 2008-2014.

The ES610 OBDII/EOBD Features

- Works on all after 1996 OBD II compliant US, European and Asian vehicles.
- Easily determines the cause of the "Check Engine Light (MIL)".
- Reads hard(memory)/pending(intermittent) and historic codes and show definitions.
- Turns off Check Engine Light (MIL), clears codes and resets monitors
- Reads live data-stream.
- Views freeze frame data.
- I/M monitor readiness test.
- Displays live O2 sensor test data.

- Retrieves vehicle information (VIN, CIN and CVN).
- Supports ALL OBD II protocols: CAN, J1850 PWM, J1850 VPW, ISO9141 and KWP2000.

SPECIFICATION

- Display: Backlit, 128 × 64 pixel display with contrast adjustment.
- Operating Temperature: 0 to 80°C (32 to 176 F°).
- Storage Temperature: -20 to 70°C (-4 to 158 F°).
- External Power: 8.0 to 18.0 V power provided via vehicle battery.
- Dimensions: 125*70*22mm.
- Weight: 0.23kg (0.51lb), GW: 0.32kg (0.74lb).

OEM Service

- We support OEM color of the item.
- We can add your logo and your company name in the item.
- We support Multilingual menu options, code definitions and the multilingual user's manual.
- We can do the packing according to your own design.
- We can support better after-sales service.

Remarks: (Make Date: 2014-7-7 / Validity - 30 days)

- MOQ: 100pcs/each model (The quotation includes all the accessories and our standard package)
- Payment: T/T. 30% deposit, the balance should be paid before

delivery

- Order Lead time: 200~500pcs: 3 weeks after receipt of deposit;
500~1000pcs: A month after receipt of deposit
- Sample lead time: Within 3-5 days
- Delivery: FOB Shenzhen
- Certificates: CE/FCC/RoHS
- Warranty: 12 Months from the day when you receive the goods
- CartonPackage contents / Included in delivery: ES610 Main unit * 1
/ User's Manual *1
- Package: Blister
- Packaging: 1 Carton = 20pcs ES610
20'GP = 526 Cartons = 10520pcs ES610
- Weight (Nacked unit packed product Carton) :
- Measurement (Nacked unit packed product Carton) : 420 * 390 *
295mm
- Battery Included?: No
- Volume of Carton: 0.0483m³